

**SEASONAL SALE** 

SEP - OCT - NOV 2024

# **PLYMIVENT®**

clean air at work

Manage Your Exposure
Monitor and Record Data
Protect Your People



# **AeroGuard**

Measure Your Welding Fume in Real Time



# **Redefine Your** Air Quality



The AeroGuard Air Monitor can measure the welding fume level in your workplace in real-time. Understand the quality of your workshop air in relation to the NEW Workplace Exposure Standard for Welding Fume (1mg/m<sup>3</sup>).

The AeroGuard is equipped with a diverse array of sensors, monitoring for a variety of pollutants and climate factors that impact your comfort and wellbeing.



Particulate Matter (e.g. Welding Fume)



Volatile Organic Compounds (VOC)



Carbon Dioxide (CO2)



Temperature



Humidity



Sound



Atmospheric Pressure



Indoor Air Quality (IAQ) Index



Red (Unhealthy)



PLYMMVENT<sup>®</sup>

clean air at work

PLYMOVENT SELF-CLEANING, SINGLE PHASE, MOBILE FUME EXTRACTION SYSTEM

The Plymovent Self-Cleaning Single Phase Mobile Extraction System is built for professional welders and is suitable for all welding applications including Stick, MIG, TIG, and FCAW.

The system is available as a single arm or dual arm, featuring high-quality metal extraction arm/s. Featuring single phase power and self-cleaning, this unit is plug & play and easy to maintain with low operational costs.

### Features:

- 1 or 2 high-quality metal extraction arms (3 metre)
- Self-cleaning
- · Single phase
- · 2 swivel castors and ergonomic handles for easy movement
- · Super quiet to run
- · Washable filter for longer life



**Dual Arm** 

PLYSC11 \$5,909

Single Arm



### PLYMOVENT DISPOSABLE FILTER. SINGLE PHASE. MOBILE **FUME EXTRACTION SYSTEM**

The Plymovent Disposable Filter Single Phase Mobile Extraction System is a compact and powerful mobile welding fume extractor designed for light usage.

The system is easy to manoeuvre around the workshop and features a high quality metal extraction arm and a two-stage filter for longer life.

### Features:

- High-quality metal extraction arm (3 metre)
- · Single phase
- Two-stage disposable filter for longer life
- · Easy to manoeuvre





### TRANSLAS 250 SINGLE PERSON KIT

- 250A air-cooled on-gun fume extraction system
- Up to 98% capture rate leaves shielding gas unaffected
- Ergonomic and super lightweight welding gun
- Extraction system self cleans with auto start and stop
- 100% duty cycle with Euro connection
- Kit includes everything you need to get started with on-gun extraction







TR250S \$13,649

# **Speedglas** Experience the #1 brand in welder's PPE

### 3M<sup>™</sup> Speedglas<sup>™</sup> G5-01 Welding Helmets with Adflo™ Powered Air Purifying Respirator (PAPR)

- Extra-large 170 × 104mm Flip-Up Grinding Visor
- 73 × 109mm Viewing Area with True-View
- Adjust helmet airflow with Climate Control
- Removable Welding Visor reduces weight by over 35% for grinding
- Extra Head & Neck Protection available
- Adflo™ PAPR supplies at least **50 Times Cleaner Air** (RMPF = 50)
- 50% Longer Adflo Battery Runtime (12 hours rather than 8)
- Bluetooth® Enabled welding lens
- Optional Task Light designed for welding

CHOOSE YOUR SPEEDGLAS G5-01 HELMET | WHICH LENS SUITS YOU?



## 3M<sup>™</sup> Speedglas<sup>™</sup> G5-01VC Welding Helmet

(Part No. 617830)

- Variable Dark State Colours (natural, cool, warm)
- Extra Dark Shade 14 for high amperage welding (shade range 3, 5/8-14)



\$2.099 FX GS

### 3M<sup>™</sup>Speedglas<sup>™</sup> G5-01TW Welding Helmet (Part No. 617820)

Tack Welding Mode for smoother transition from dark to light state with intermediate shade 5 (shade range 3, 5/8-13)



**\$1.899** EX GST



### 3M™ VERSAFLO™ FACE SHIELD M-207 WITH ADFLO™ PAPR

- High impact face shield with chemical and scratch-resistant lens
- Excellent peripheral and downward vision
- · Flame resistant face seal
- · Adflo PAPR supplies 50 times cleaner air (RMPF = 50)

**Battery Life** 

8 Hours

12 Hours



### 3M™ VERSAFLO™ FACE SHIELD & SAFETY HELMET M-307 WITH **ADFLO™ PAPR**

- · Built-in safety helmet
- High impact face shield with chemical and scratch-resistant lens
- Excellent peripheral and downward vision
- (RMPF = 50)



### • Flame resistant face seal • Adflo PAPR supplies 50 times cleaner air

| Part No. | Battery Life | Price + GST |
|----------|--------------|-------------|
| 890307   | 8 Hours      | \$1,699.00  |
| 890307HD | 12 Hours     | \$1,779.00  |



### 3M™ VERSAFLO™ FLIP-UP FACE SHIELD & SAFETY HELMET M-407 WITH ADFLO™ PAPR

- Flip-up high impact face shield with chemical and scratch-resistant lens
- · Flame resistant shroud for additional head, shoulder and neck coverage
- · Built-in safety helmet
- Excellent peripheral and downward vision
- · Adflo PAPR supplies 50 times cleaner air (RMPF = 50)

| Part No. | Battery Life | Price + GST |
|----------|--------------|-------------|
| 890407   | 8 Hours      | \$2,119.00  |
| 890407HD | 12 Hours     | \$2,209.00  |



\$1,629.00

\$1,799.00

Part No.

890207

890207HD





| Code  | Available Sizes    | Price + GST |
|-------|--------------------|-------------|
| DA111 | M, L, XL, 2XL, 3XL | \$120.00    |

# DURALLOY® PROBAN/ LEATHER WELDING JACKET

| Gloves soid separately |                       |             |
|------------------------|-----------------------|-------------|
| Code                   | Available Sizes       | Price + GST |
| DA2530                 | S, M, L, XL, 2XL, 3XL | \$90.00     |

# DURALLOY® HI VIS LEATHER SLEEVE JACKET Code Available Sizes Price - 657

| Couc   | Available Sizes    | 1 1100 / 031 |
|--------|--------------------|--------------|
| DA2730 | M, L, XL, 2XL, 3XL | \$120.00     |
|        |                    |              |

# DURALLOY® **LEATHER WELDING JACKET**



| Code | Available Sizes    | Price + GST |
|------|--------------------|-------------|
| DAWJ | M, L, XL, 2XL, 3XL | \$80.00     |

# DURALLOY® RIGGER GLOVE BEIGE



| Code     | Sizes      | Price + GST |
|----------|------------|-------------|
| DRIGGERB | L, XL, XXL | \$4.90      |






| Code  | Price + GST |
|-------|-------------|
| DA006 | \$12.00     |

DURALLOY® PLATINUM SHEEP SKIN TIG GLOVE



| Code  | Sizes      | Price + GST |
|-------|------------|-------------|
| DA008 | L, XL, XXL | \$15.00     |

DURALLOY® **ALUMINISED GLOVE SAVER** 



| Code   | Price + GST |
|--------|-------------|
| DA9500 | \$12.00     |

# DURALLOY® SAFETY GLASSES CLEAR



| Code   | Price + GST |
|--------|-------------|
| DA1600 | \$3.90      |

# DURALLOY® WELDERS SPATS ELASTIC STRAP



| Code   | Price + GST |
|--------|-------------|
| DASPAT | \$20.00     |

DURALLOY® PROBAN
WELDING HOOD BLUE



| Code | Price + GST |
|------|-------------|
| DAWH | \$15.00     |

DURALLOY® WELDING SLEEVE WITH VELCO



| Code    | Price + GST |
|---------|-------------|
| DA9619V | \$35.00     |

# DURALLOY® **RED WELDING CURTAIN 1.8 X 1.8M & FRAME**



 Code
 Price+6ST

 DAWC1818F
 \$199.00

DURALLOY® GREEN WELDING CURTAIN



| Code    | Price + GST |
|---------|-------------|
| DA1818G | \$50.00     |

# 3M™ PELTOR™ **WELDERS EARMUFF**



| Code  | Price + GST |
|-------|-------------|
| H505B | \$49.00     |

# PROCHOICE® UNCORDED DISPOSABLE EARPLUGS 200 PAIRS



| Code | Price + GST |
|------|-------------|
| EPOU | \$36.00     |

### **ENGINE DRIVEN MACHINES**

### MILLER® BOBCAT™ 260 with Remote Start/Stop

Kohler Petrol



- 40 260A
- Generator power 240 V 60 Hz\*\*: Peak 11,000W, Continuous 9,500W
- · Kohler twin cylinder, four cycle overhead valve, industrial air-cooled petrol engine with 451 fuel tank
- 2 x 15A, 1 x 32A outlets (240 V 60 Hz)
- 227kg (without petrol)
- 260 A at 28 V, 100% Duty Cycle



### MILLER® TRAILBLAZER™ 325

Kubota Diesel with VRD CODE: MR907799-2 \$24,500

- 10 325A
- Generator power: 240V 60 Hz.\*\*\*\* Peak 12,000W, Continuous 10,500W
- · Kubota three-cylinder industrial liquid cooled diesel engine with 45L fuel tank or Kohler twin-cylinder, four cycle overhead valve, industrial air-cooled petrol engine with 45L fuel tank.
- · Diesel: 281kg, petrol
- · 209kg (without petrol)
- VRD to CAT C AS 1674.2
- 325 A at 33 V, 100% Duty Cycle



### MILLER® BIG BLUE® 800

Duo AirPak Diesel ArcReach® & VRD



- 63.4HP, turbo-charged four-cylinder, liquid-cooled industrial diesel engine
- Single weld mode CC: 40-800 A, CV: 15-50 V Dual weld mode CC: 20-400 A, CV: 15-50 V
- · All-in-one engine-driven welder eliminates the need for an auxiliary air compressor
- · ArcReach system allows you to change weld settings from your ArcReach feeder or stick/TIG remote, saving a trip to the power supply.
- · 95L fuel tank



### SHINDAIWA® 420 DUAL **OPERATOR DIESEL**



390Amps of welding power, dual operator stick or wire feeder capability on both A and B welding side. Pre-dial voltage or amperage, dual remote controls and 14kVA of auxiliary power. Lightweight super silenced enclosure made to meet Australian mine site standards from the factory.

# **shindaiwa**®

### SHINDAIWA® 500 DUAL **OPERATOR DIESEL**



480Amps of welding power, dual operator stick or wire feeder capability on both A and B welding side. Pre-Dial Voltage or amperage, dual remote controls and 18kVA of auxiliary power. All this is packaged into a lightweight super silenced enclosure made to meet Australian mine site standards.

**shindaiwa**®

### LINCOLN ELECTRIC®

**VANTAGE 400** 



The Vantage® 400 is a diesel engine powered DC multi-process welding power source and 120/240V AC power generator. The DC welding control system uses patented Chopper Technology® for superior welding performance with low noise output; only 99.1dBA.



### CEBORA™

# KINGSTAR 400 TS DUAL HEAD FEED PACKAGE

 Compact and lightweight wire feed unit with two 7-segment display and user-friendly operator controls.

- 7" touch screen control panel
- · Remote control panel
- Duty cycle 340A @ 100% & 400A @ 40%
- Package includes secondary wire feeder unit WF4-TW with 4 rollers ø 37mm including cylinder holder and connections
- · 2 year warranty



Dual Wire Feeder Setup Example







### CFBORA™

### **PLASMA SOUND PC 130/T**

- Compact unit for steel, container and machine construction
- · Quality cut in steel up to 40mm
- 100% duty cycle at 105 amps cutting current
- DC constant source with PFC
- · 'On-Air' ignition system
- SELF RESTART function: for automatic switching off and on of the arc when cutting grating
- · POST-FLOW torch cooling









### **DURALLOY®**

### **421 MIG SWF**

- High performance industrial 400A 3 Phase welder
- Robust transformer style MIG plant with heavy duty feeder
- Equipped with temperature, voltage and current sensors for greater protection
- Heavy duty 4-roll geared drive feed system
- 10 metre interconnection leads
- Industrial cable connectors (35-50)
- Industrial castors on power source and wirefeed
- IP21S Rating



WELD WITH

DURALLOY

### **DURALLOY®**

### 351 MULTIMIG / 501 MULTIMIG

- 415V Multiprocess inverter welding machine
- 350A (DA351MMIG) or 500A (DA501MMIG) models
- Heavy duty 4-roll geared drive feed system
- 10 metre interconnection leads
- · Built-in toolbox trolley
- Voltage Reduction Device (VRD)
- Industrial cable connectors (35-50)
- Industrial castors on power source and wirefeed
- Protective front fascia cover on power source and wire feeder
- 32 Amp primary plug fitted
- IP23S Rating



CODE: **DA351MMIG \$3,499** + GST

500A

CODE: **DA501MMIG \$4,199** + GST







### 240V WELDING MACHINES

### **DURALLOY® 201P AC/DC PULSE TIG**

- 240V, 15A AC/DC TIG Inverter welding machine
- 8m 26F Current Control TIG Torch with accessories
- Adjustable Pulse Parameters
- · Adjustable Pre/Post Gas
- Industrial Cable Connectors (35-50)
- Foot Control (Optional)
- Generator Friendly (10Kva)
- · Quick Connect Gas Fitting
- · Protective Front Fascia cover
- IP23 Rating





### DURALLOY® 201P PFC AC/DC PULSE

- 240V, 15A AC/DC Pulse TIG Inverter welding machine
- High duty cycle (TIG 240V) 200 Amps @ 60%
- AC/DC pulse with selectable pulse time
- · Selectable pre/post flow and slope time
- Industrial cable connections (35-50)
- Extension lead friendly up to 100m
- · Quick connect gas fittings
- IP23 rating
- · Weight 15kg







### **DURALLOY® MULTIMIG 205**

- 240V, 15A Multiprocess Inverter welding machine
- · Synergic and manual MIG settings
- DC Lift TIG with optional TIG torch
- · Hot Start & Arc Force for MMA mode
- Industrial cable connectors (35-50)
- · Suits 1kg & 5kg Spools
- · 2 roll wire feeder
- Voltage Reduction Device (VRD)
- Gas/Gasless MIG Operation
- Wire Inch button
- · Gas Purge button
- IP21S rating







### DURALLOY® CUT 31 PLASMA

WELD WITH

- 240V Inverter Plasma Cutter
- 10mm severance cut (carbon steel)
- · Equipped with temperature, voltage and current sensors for greater protection
- · Air compressor capacity: 12cfm
- Generator friendly (6kVA)
- IP21S Rating

DURALLOY

- Protective Front Fascia Cover
- Air Test function
- 4M PT60 Plasma Torch with Central Adaptor
- · Built-in Regulator







### CEBORA® 2060/MD STAR DOUBLE PULSE MIG

- Duty Cycle 160Amps @ 100%, 200A Maximum
- 8mm Single Pass
- · 2 Year Warranty
- · Weighs only 21.5kg
- · IP 23 safety rating
- Durable powder coated steel case with an impact absorbing frame

### **ARRANGE A DEMO TODAY!**







### CEBORA® SYNSTAR 250 M

- 230 V 50/60 Hz +15% / -20% MIG welding machine
- · 4-roll wire feeder
- · More than 80 welding programs available
- Synergic settings for Ø 0.6/0.8/0.9/1.0/1.2mm solid wire, 0.9mm flux-cored
- · LCD display panel
- · Suited for light-medium metal works
- Suits 5 and 15kg wire spools
- IP23S rating









# WE STOCK A FULL RANGE OF WELDING CONSUMABLES

CONTACT US FOR MORE INFORMATION



DURALLOY® WITH KOBELCO







### WELDING ACCESSORIES

### DURALLOY™ **ELECTRODE HOLDER**



| Code  | Size   | Price + GST |
|-------|--------|-------------|
| EH200 | 200amp | \$18.00     |
| EH400 | 400amp | \$20.00     |

### DURALLOY™ **HD ELECTRODE HOLDER**



| Code    | Size   | Price + GST |
|---------|--------|-------------|
| EHAT400 | 400amp | \$30.00     |
| EHAT600 | 600amp | \$40.00     |

### DURALLOY™ **TONG TYPE ELECTRODE HOLDER**



| Code    | Size   | Price + GST |
|---------|--------|-------------|
| EHOD300 | 300amp | \$25.00     |
| EHOD400 | 400amp | \$35.00     |
| EHOD600 | 600amp | \$45.00     |

### DURALLOY™ TONG TYPE **ELECTRODE HOLDER**



| Code    | Size   | Price + GST |
|---------|--------|-------------|
| EHSM300 | 300amp | \$35.00     |
| EHSM400 | 400amp | \$40.00     |

### DURALLOY™ **BRASS EARTH CLAMP**



| Code     | Size   | Price + GST |
|----------|--------|-------------|
| DAECB200 | 200amp | \$12.00     |

### DURALLOY™ **STEEL EARTH CLAMP**



| Code     | Size   | Price + GST |
|----------|--------|-------------|
| DAKEC300 | 200amp | \$10.00     |
| DAKEC500 | 500amp | \$25.00     |

### DURALLOY™ **NEVADA** STYLE EARTH CLAMP



| Code    | Size   | Price + GST |
|---------|--------|-------------|
| YDL300A | 300amp | \$25.00     |
| YDL400A | 400amp | \$35.00     |
| YDL600A | 600amp | \$40.00     |

### DURALLOY™ **SUPA-FIX**



| Code     | Size   | Price + GST |
|----------|--------|-------------|
| ECKP2274 | 300amp | \$40.00     |
| ECKP2275 | 400amp | \$45.00     |
| ECKP2276 | 600amp | \$50.00     |

### DURALLOY™ BRASS G **TYPE EARTH CLAMP**



| Code  | Size   | Price + GST |
|-------|--------|-------------|
| KGC01 | 500amp | \$40.00     |

### DURALLOY™ BRASS G **EARTH CLAMP**



| Code    | Size   | Price + GST |
|---------|--------|-------------|
| DAEC600 | 600amp | \$45.00     |

### DURALLOY™ **HD BIG BRASS G EARTH CLAMP**



| Code    | Size   | Price + GST |
|---------|--------|-------------|
| DAEC800 | 800amp | \$90.00     |

### DURALLOY™ **HD DUAL ROTARY EARTH CLAMP**



| Code       | Size   | Price + GST |
|------------|--------|-------------|
| AECMAG60RG | 600amp | \$65.00     |


### DURALLOY™ MAGNETIC **EARTH CLAMP WITH LEVER**



| Code      | Size   | Price + GST |
|-----------|--------|-------------|
| MWGC1-500 | 500amp | \$30.00     |

### DURALLOY® WELDERS HEAVY DUTY C CLAMP





### **DURALLOY® ELECTRODE DRYING OVENS**

- Adjustable temperature
- Removes moisture from electrodes for optimal weld quality
- Suitable for all electrodes, particularly Low Hydrogen



| DAYCH5 | 5kg | Electrode | Oven | Shown |
|--------|-----|-----------|------|-------|

| Code    | Description                                     | Price + GST |
|---------|---|-------------|
| DAYCH5  | Duralloy Electrode Oven 5kg                     | \$120.00    |
| DADTCEO | Duralloy Digital Temperature Electrode Oven 5kg | \$295.00    |

# DURALLOY® **STAINLESS STEEL WELD CLEANING MACHINE**




| Code    | Description                                | Price + GST |
|---------|--|-------------|
| DASSC60 | Stainless Steel Weld Cleaning Machine 240V | \$1,199.00  |


### DURALLOY™ WELDER'S CART


- Suitable for 240V Welding Machines
- 2 Storage Shelves

DACART



\$99.00









- Includes 3 Heating Tips: #2, #3, and #4
- 600mm Torch Handle
- 5m Gas Hose
- · LPG Regulator



### **IOXYGEN BLOWPIPE**

• Suits iOxygen Cutting Attachment



| Code   | Description      | Price + GST |
|--------|------------------|-------------|
| 10-241 | IOxygen Blowpipe | \$139.00    |

### **IOXYGEN MULTI-PURPOSE CUTTING ATTACHMENT**

- · Available in 600mm and 1.000mm
- Available in 90° or 180°
- 2 seat cutting tips



### **IOXYGEN CUTTING ATTACHMENT**

• Cutting capacity up to 150mm

• Suits Type 41 and Type 44 Cutting Nozzles



180° Head Cutting Attachment

### IOXYGEN CUTTING **NOZZLE TYPE 41**



| Code     | Size         | Price + GST |
|----------|--------------|-------------|
| 10-41-12 | 12 (12-20mm) | \$12.00     |

### IOXYGEN CUTTING **NOZZLE TYPE 44**



| Code     | Size         | Price + GST |
|----------|--------------|-------------|
| 10-44-12 | 12 (20-50mm) | \$16.00     |

### IOXYGEN BENT **GOUGING NOZZLE**

TYPE 44



| Code       | Size | Price + GST |
|------------|------|-------------|
| IO-44-48GB | 48   | \$90.00     |

### **IOXYGEN HEATING NOZZLE OXY/LPG**



\$149.00

| Code       | Size     | Price + GST |
|------------|----------|-------------|
| IO-2290-2H | 36x12 2H | \$68.00     |

# CIGWELD™ COMET EDGE PROFESSIONAL PLUS KIT



# CIGWELD™ **CUTSKILL TRADESMAN PLUS GAS KIT**OXYGEN/ACETYLENE



# CIGWELD™ **CUTSKILL TRADESMAN PLUS GAS KIT**OXYGEN/LPG



# CIGWELD™ **COMET MULTI- PURPOSE 3 CUTTING TORCH**

- Cutting capacity up to 300mm
- Suits Type 41 and Type 44 Cutting Nozzles



| Code   | Description                 | Price + GST |
|--------|-----------------------------|-------------|
| 304141 | Multi-Purpose Cutting Torch | \$859.00    |

# CIGWELD™ COMET 3 CUTTING ATTACHMENT

Suits Type 40 Cutting Nozzles



| Code   | Description                | Price + GST |
|--------|----------------------------|-------------|
| 304005 | COMET 3 Cutting Attachment | \$249.00    |

### CIGWELD™ COMET 3 BLOWPIPE

• Flows of up to 600 L/min

\$799

 Suits COMET 3 Cutting Attachment & Mixer 304003



| Code   | Description      | Price + GST |
|--------|------------------|-------------|
| 304001 | COMET 3 Blowpipe | \$229.00    |

### CIGWELD™ COMET EDGE ESV4 OXYGEN REGULATOR

1000KPA



| Code   | Description            | Price + GST |
|--------|------------------------|-------------|
| 301637 | Oxygen COMET EDGE ESV4 | \$225.00    |
| 301637 | 1000kPa AS4267         |             |

# CIGWELD™ **COMET EDGE ESV4 ACETYLENE REGULATOR**150KPA



| Code   | Description          | Price + GST |
|--------|----------------------|-------------|
| 301532 | Acetylene COMET EDGE | \$225.00    |
| 301532 | ESV4 150kPa AS4267   | \$225.00    |

# CIGWELD™ **COMET EDGE ESV4 ARGON REGULATOR**200KPA



| Code   | Description        | Price + GST |
|--------|--------------------|-------------|
| 201527 | Argon COMET EDGE   | \$225.00    |
| 301527 | ESV4 200kPa AS4267 |             |

### ioxygen **regulator** Argon



| Code    | Price + GST |
|---------|-------------|
| IO-1451 | \$80.00     |

### ioxygen **regulator** Oxygen



| Code    | Price + GST |
|---------|-------------|
| IO-1452 | \$80.00     |

# IOXYGEN **REGULATOR** ACETYLENE




| Code    | Price + GST |
|---------|-------------|
| IO-1453 | \$80.00     |

### ioxygen **regulator** LPG



| Code    | Price + GST |
|---------|-------------|
| IO-1454 | \$80.00     |



PFERD

### PFERD® CUT-OFF WHEELS PERFORMANCE LINE SG STEELOX

- · Suitable for general use on steel and stainless steel (INOX)
- · Fast work progress thanks to good cutting performance
- Maximum economic efficiency due to maximum tool life
- Thin cuts with minimal burr formation



| PART NO  | SIZE      | BUCKET QTY | PRICE + GST |
|----------|-----------|------------|-------------|
| 75650763 | 125 x 1mm | 100        | \$179.00    |

### **LOCH® INOX CUTTING DISCS**

- · INOX, iron free cutting wheel
- Industrial quality and performance
- · For use with mild steel or stainless steel

and a long service life



**LOCH®** 

| 100 discs p | er box, 40 | 0 per carton |
|-------------|------------|--------------|
|-------------|------------|--------------|

| PART NO | SIZE         | MIN QTY | PRICE + GST |
|---------|--------------|---------|-------------|
| L125C10 | 125 x 1 x 22 | 100     | \$1.10 /ea  |
| L125C10 | 125 x 1 x 22 | 400     | \$0.90 /ea  |


### HAND TOOLS & ACCESSORIES





| Code      | Туре      | Price + GST |
|-----------|-----------|-------------|
| H10174S05 | Aluminium | \$22.00     |

### HARLINGEN **DEBURRING TOOL** SOFT PLASTIC



| Code      | Туре         | Price + GST |
|-----------|--------------|-------------|
| H10174S06 | Soft Plastic | \$19.00     |

### HARLINGEN **DIGITAL CALIPER**



| Code      | Size  | Price + GST |
|-----------|-------|-------------|
| H20002005 | 150mm | \$60.00     |
| H20002010 | 200mm | \$98.00     |
| H20002015 | 300mm | \$150.00    |





| Code      | Price + GST |
|-----------|-------------|
| H11303A01 | \$150.00    |

### HARLINGEN METRIC DRILL SETS



| Code      | Туре   | Price + GST |
|-----------|--------|-------------|
| HDS25MHSS | HSS    | \$150.00    |
| HDS25MCO  | Cobalt | \$95.00     |

### **LOCH TCT HOLESAW KIT**



| Code    | Size Range | Price + GST |
|---------|------------|-------------|
| LTCTKIT | 16-60mm    | \$599.00    |

### LOCH HSS MINI CUTTER SET



| Code   | Included Sizes              | Price + GST |
|--------|-----------------------------|-------------|
| LXMINI | 8, 10, 12, 14, 16, 18, 20mm | \$179.00    |

### LOCH HSS STEP DRILL 3 PIECE



| Code   | Price + GST |
|--------|-------------|
| LSDSET | \$180.00    |



| Code  | Туре     | Price + GST |
|-------|----------|-------------|
| LR-5  | 5 Piece  | \$75.00     |
| LR-10 | 10 Piece | \$150.00    |

### LOCH® DOUBLE CUT BURRS SOLD INDIVIDUALLY





### W 13-125 QUICK ANGLE GRINDER

603627190













- Long service life for demanding applications: powerful and robust angle grinder with highest power density in its class for quick work progress
- Longer service life, more power: the Metabo Marathon-motor with patented dust protection, up to 20% more overload capacity and 50% more torque
- Tool free, fast disc change at the touch of a button with the Metabo M-Quick-System
- · Tool-free adjustable guard; twist-proof
- Low-vibration side handle Metabo VibraTech (MVT)

- Metabo S-automatic mechanical safety clutch: minimises kick-back to the lowest level when the disc jams unexpectedly - for maximum user safety and swift progress
- Gear housing can be unscrewed, rotated in 90° steps and remounted for left-handed operation or cutting
- · Auto-stop carbon brushes to protect the motor

### METABO WQ1100 -125MM ANGLE GRINDER 1100W











- Robust, universal and economical: ergonomic angle grinder for any application
- Powerful motor with good overload capacity
- · Tool free, fast disc change at the touch of a button with the Metabo
- M-Quick-System
- Tool-free adjustable guard; twist-proof

 Metabo S-automatic mechanical safety clutch: minimises kick-back to the lowest level when the disc jams unexpectedly - for maximum user safety and swift progress

### **WEF 15-125 QUICK**

613082000



# metabo

















- Marathon motor: More torque, More power output,
- Higher overload capacity, Maximum durability
- Quick nut;
- Overload protection; Restart protection
- Soft start; Electronic Kick back stop

- 43° minimum angle
- Narrowest gap reach in its class!
- $66 \times 110 \text{ mm (h x d) gap}$
- Auto Stop Carbon Brushes







- HiKOKI AC brushless motor, more compact and lightweight than conventional motors
- Max output 1,900W
- Suits 125mm wheels
- Electronic controller with dust protection
- Dust-resistant filter

- Stable operation during voltage drop
- Electronic speed control maintains the speed even when load increases
- Small grip circumference for greater comfort and control
- Electronic brake stops the wheel within seconds when the trigger is released



# **New Product Release**

**Excision Ebox 2024** 



### **Introducing the All-New**



The Excision Ebox is an innovative solution for storing and dispensing oil and metalworking fluids safely, easily and efficiently. It's better than any drum.





Extended Shelf-Life





# HANDHELD LASER WELDER

# **CUSTOM SYSTEMS BUILT FOR YOUR SPECIFICATIONS**

### **PRODUCT FEATURES**

- Self-developed super mini welding head, Light and user-friendly, only 0.5kg
- Unique rotative protective mirror design, 6 times longer service time
- Wobble head with adjustable laser spot diameter (0-5mm)
- Easy laser focus adjustment
- · Stepping motor auto wirefeeder, greater stability and accuracy
- Auto wire feeding device controlled by machine software, ensuring high accuracy of feeding/withdraw wire
- Unique design for wire feeding fixture, able to interchange stainless steel and aluminium wire smoothly and conveniently
- Portable welding head support holder avoids head damage
- Patented cabinet designed to EU safety standards

| DESCRIPTION            | PARAMETER                |
|------------------------|--------------------------|
| Laser Power (w)        | 1000/1500/2000           |
| Fibre Length (m)       | 10m (as requested)       |
| Laser Wavelength (nm)  | 1070                     |
| Water Chiller          | Dual-Temperature Control |
| Operating Temperature  | -15 - 40°C               |
| Operating Power        | Continuously Adjustable  |
| Working Voltage (V)    | 220                      |
| Welding Speed (mm/s)   | 0-120                    |
| Machine Dimension (mm) | 1050 x 670 x 1200        |
| Machine Weight (kg)    | 230kg                    |
|                        |                          |

### CONTACT US TO CREATE YOUR PACKAGE



# **WELDER SERVICING & REPAIRS**

WeldQuip offer a full range of welder maintenance and repair services, regardless of brand.

### **Servicing**

Welding machines require regular servicing to ensure they are working to their full capabilities, and to extend the life of the welder. WeldQuip offers welding machine servicing at an affordable rate.

### **Repairs**

Thanks to our in-store workshop, WeldQuip can troubleshoot, diagnose and repair your welding machine on the premises, avoiding the long wait times that come along with sending the machine back to the manufacturer.

### **Training and Troubleshooting**

We can provide machine training on selected welding machines, so you can spend more time on your work or project. If something isn't working correctly, call us and we can help you fix the issue.

Deliver your equipment to us at **2 Hollylea Rd, Leumeah NSW** for repair & service support

